



PROVIDER TIP SHEET

Pediatric HEDIS® Measures: At A Glance

Measures	Coding Tips	Recommendations
Child and Adolescent Well-Care Visits (WCV) 3–21 years of age who have had at least one comprehensive well-child visit with a PCP during the measurement year.	ICD-10® Codes Z00.00 Z00.01 Z00.110 Z00.111 Z00.121 Z00.129 Z00.2 Z00.3 Z01.411 Z01.419 Z02.5 Z02.84 Z76.1–Z76.2 CPT® Codes 99381–99385 99391–99395 99461 HCPCS Codes G0438 G0439 S0302 S0610 S0612 S0613	- Take advantage of each office visit (including sick visits) to provide well-care services and immunizations. To bill both components on the same day, add Modifier 25 to the sick visit and billing for the appropriate preventative visit. - Use standardized templates in charts and in EMRs that allow check boxes documentation of counseling. - Schedule next visit at end of each appointment. The comprehensive well-care must include: ✓ Health History: Assessment of Member's history of disease or illness and family health history. ✓ Physical Development History: Assessment of specific age-appropriate physical development milestones. ✓ Mental Development History: Assessment of specific age-appropriate mental development milestones. ✓ Physical exam. ✓ Health Education/Anticipatory Guidance: Guidance given in anticipation of emerging issues that a child/family may face.
Well-Child Visits in the First 30 Months of Life (W30) 1. Well-Child Visits in the First 15 Months Children who turned 15 months old during the measurement year: six or more well-child visits. 2. Well-Child Visits for Age 15 Months–30 Months Children who turned 30 months old during the measurement year: two or more well-child visits.	ICD-10® Codes Z00.00 Z00.01 Z00.2 Z00.3 Z00.110 Z00.111 Z00.121 Z00.129 Z01.411 Z01.419 Z02.5 Z0284 Z76.1–Z76.2 CPT® Codes 99381–99385 99391–99395 99461 HCPCS Codes G0438 G0439 S0302 S0610 S0612 S0613	

Measures	Coding Tips	Recommendations
Weight Assessment and Counseling for Nutrition and Physical Activity (WCC): Children 3–17 years of age who had an outpatient visit with a PCP and who had evidence of the following during the measurement period: • Counseling for Nutrition. • Counseling for Physical Activity. • BMI Percentile. *Because BMI norms for youth vary with age and gender, this measure evaluates whether BMI percentile is assessed rather than an absolute BMI value.	BMI Percentile ICD-10* Codes Z68.51–Z68.56	• Take advantage of each office visit (including sick visits) to counsel for nutrition and physical activity. Discuss and document nutrition and physical activity during at least one office visit annually. • At each office visit, document BMI percentile, to include height, weight, and BMI percentile. • Nutrition Counseling: Discuss current nutrition behaviors (e.g., appetite or meal patterns, eating, and dieting habits). • Physical Activity: Discuss current physical activity habits, exercise routine, sports activities, sports physical, weight, or obesity counseling.
	Counseling for Nutrition CPT Codes 97802–97804 ICD-10* Codes Z71.3* HCPCS Codes G0270 G0271 G0447 S9449 S9452 S9470	
	Counseling for Physical Activity ICD-10 Codes Z02.05 Z71.82 HCPCS Codes G0447 S9451	
		*Stand-alone vaccines
URI - Appropriate Treatment for Children with Upper Respiratory Infection Children 3 months of age and older with a diagnosis of upper respiratory infection (URI) that did not result in an antibiotic dispensing event.	Pharyngitis ICD-10 Codes J02.0 J02.8–J03.01 J03.80–J03.81 J03.90–J03.91	• Test all children for group A strep before prescribing an antibiotic for a diagnosis of pharyngitis only. • Document and submit claims for all appropriate diagnoses established at the visit. • Submit claim for in-office rapid strep test. • Do not prescribe antibiotics for URI diagnosis only.
	URI ICD-10 Codes J00 J06.0 J06.9	
	Group A Strep Tests CPT Codes 87070 87071 87081 87430 87650–87652 87880	

AAB Antibiotic Medications

Medication List:

amikacin, amoxicillin, amoxicillin / clavulanate, ampicillin, ampicillin / sulbactam, azithromycin, aztreonam, cefaclor, cefadroxil, cefazolin, cefdinir, cefepime, cefixime, cefotaxime, cefotetan, cefoxitin, cefpodoxime, cefprozil, ceftazidime, cefTRIAXone, cefuroxime, cephalexin, chloramphenicol, ciprofloxacin, clarithromycin, clindamycin, Daptomycin, dicloxacillin, doxycycline, erythromycin, fosfomycin, gemifloxacin, gentamicin, levofloxacin, lincomycin, linezolid, metronidazole, minocycline, moxifloxacin, nafcillin, nitrofurantoin, nitrofurantoin, macrocrystals / nitrofurantoin, monohydrate, ofloxacin, oxacillin, penicillin G benzathine, penicillin G benzathine / penicillin G procaine, penicillin G potassium, penicillin G sodium, penicillin V potassium, piperacillin / tazobactam, rifampin, streptomycin, sulfADIAZINE, sulfamethoxazole / trimethoprim, tetracycline, tobramycin, trimethoprim, vancomycin.

Measures	Coding Tips		Recommendations
Childhood Immunizations Status Children 2 years of age who have had the following vaccines on or before their second birthday.	4 DTaP (diphtheria, tetanus and acellular pertussis)	CPT: 90697 90698 90700 90723 CVX: 20 50 106 107 110 120 146 198	- Review immunization record at each visit and administer age-appropriate vaccines. - Establish a reminder system for patients. - Take advantage of every office visit (including sick visits) to catch up on missing vaccines. - Use the State Immunization Registry.
	3 IPV (polio)	CPT: 90697 90698 90713 90723 CVX: 10 89 110 120 146	
	1 MMR (measles, mumps, rubella)	CPT: 90707 90710 CVX: 03 94	
	3 HiB (H influenza type B)	CPT: 90644 90647 90648 90697 90698 90748 CVX: 17 46-51 120 146 148 198	
	3 Hep B (hepatitis B)	CPT: 90697 90723 90740 90744 90747 90748 CVX: 08 44 45 51 110 146 198 HCPCS: G0010	
	1 VZV (chicken pox)	CPT: 90710 90716 CVX: 21 94	
	4 PCV (pneumococcal conjugate)	CPT: 90670 90671 90677 CVX: 109 133 152 215 216 HCPCS: G0009	
	1 Hep A (hepatitis A)	CVX: 31 83 85	
	2 Flu Influenza	CPT: 90655-90658 90661 90674 90685-90689 90756 CVX: 88 161 186 171 320 153 158 150 141 140	
	Influenza LAIV Immunization	CPT: 90660 90672 CVX: 111 149 333	
	Rotavirus 2 or 3 RV (rotavirus)	CPT: Two doses: 90681 Three doses: 90680 CVX: 122 116	

Measures	Coding Tips	Recommendations
Lead Screening in Children (LSC-E): Children 2 years of age who had one or more capillary or venous lead blood tests for lead poisoning on or before their second birthday.	CPT code: 83655	Lead screening test should be completed on all children before their second birthday. A lead risk questionnaire does not count - it must be a capillary or venous blood lead test.
IMA - Immunizations in Adolescents Members who turned 13 years of age in the measurement year and received by age 13. • Tdap Vaccine: one dose between 10th and 13th birthday. • Meningococcal Conjugate Vaccine: one dose of meningococcal Y vaccine between 11th and 13th birthday. • HPV Vaccine: either - two doses of HPV vaccine between 9th and 13th birthday with at least 146 days between doses, or - three doses with different dates of service between 9th and 13th birthday.	Tdap CPT Code 90715 CVX Code 115 Meningococcal CPT Codes 90619 90623 90624 90733 90734 CVX Codes 32 108 114 136 147 167 203 316 328 HPV CPT Codes 90649 90650 90651 CVX Codes 62 118 137 165	• Review immunization record at each visit and administer age-appropriate vaccines. • Establish a reminder system for patients. • Take advantage of every office visit (including sick visits) to catch up on missing vaccines. • Use the State Immunization Registry.

HEDIS® The Healthcare Effectiveness Data and Information Set (HEDIS®) is a registered trademark of NCQA. CAHPS® is a registered trademark of the Agency for Healthcare Research and Quality (AHRQ).

COPYRIGHT NOTICE AND DISCLAIMER

The HEDIS® measures and specifications were developed by and are owned by NCQA. The HEDIS measures and specifications are not clinical guidelines and do not establish a standard of medical care. NCQA makes no representations, warranties, or endorsement about the quality of any organization or physician that uses or reports performance measures and NCQA has no liability to anyone who relies on such measures and specifications. NCQA holds a copyright in these materials and can rescind or alter these materials at any time. These materials may not be modified by anyone other than NCQA. Use of the Rules for Allowable Adjustments of HEDIS to make permitted adjustments of the materials does not constitute a modification. Any commercial use and/or internal or external reproduction, distribution and publication must be approved by NCQA and are subject to a license at the discretion of NCQA. Any use of the materials to identify records or calculate measure results, for example, requires a custom license and may necessitate certification pursuant to NCQA's Measure Certification Program. Reprinted with permission by NCQA. © 2026 NCQA, all rights reserved.

Limited proprietary coding is contained in the measure specifications for convenience. NCQA disclaims all liability for use or accuracy of any third-party code values contained in the specifications.

CPT Copyright 2026 American Medical Association. All rights reserved. CPT® is a registered trademark of the American Medical Association. Applicable FARS/DFARS Restrictions Apply to Government Use. Fee schedules, relative value units, conversion factors and/or related components are not assigned by the AMA, are not part of CPT, and the AMA is not recommending their use. The AMA does not directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for data contained or not contained herein.

The CDC Race and Ethnicity code system was developed by the U.S. Centers for Disease Control and Prevention (CDC). NCQA's use of the code system does not imply endorsement by the CDC of NCQA, or its products or services. The code system is otherwise available on the CDC website for no charge.

Certain NullFlavor codes are owned and copyrighted by Health Level Seven International (HL7); 2026.

The American Hospital Association holds a copyright to the Uniform Billing Codes ("UB") contained in the measure specifications. The UB Codes in the HEDIS specifications are included with the permission of the AHA. All uses of the UB Codes may require a license from the AHA. Specifically, anyone desiring to use the UB Codes in a commercial product to generate HEDIS results, or for any other commercial use, must obtain a commercial use license directly from the AHA. To inquire about licensing, contact ub04@aha.org.

Health Care Provider Taxonomy Code Set codes copyright 2026 AMA. The codes are published in cooperation with the National Uniform Claim Committee (NUCC) by the AMAS. Applicable FARS/DFARS restrictions apply.

The American Dental Association ("ADA") holds a copyright to the Current Dental Terminology ("CDT") codes contained in certain measure specifications. The CDT codes in the HEDIS specifications are included with the permission of the ADA. All uses of the CDT codes require a license from the ADA. No alteration, amendments, or modifications of the CDT or any portion thereof is allowed. Resale, transmission, or distribution of copies of the CDT or other portions of the CDT is also not allowed. To inquire about licensing, contact CDT-SNODENT@ada.org.

RadLex copyright 2014, The Radiological Society of North America (RSNA), all rights reserved. Licensed under RadLex License Version 2.0. You may obtain a copy of the license at: <https://www.rsna.org/radlexdownloads> This work is distributed under the above noted license on an "AS IS" basis, WITHOUT WARRANTIES OF ANY KIND, either express or implied. Please see the license for complete terms and conditions.